

## SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

SDS # : 083886

### RILCO PTFS

Date of the previous version: not applicable

Revision Date: 2015-05-07

Version 1

#### 1. IDENTIFICATION

##### Product identifier

Product name RILCO PTFS

##### Other means of identification

Product Code(s) 083886

Number 3VV  
Substance/mixture Mixture

##### Recommended use of the chemical and restrictions on use

Identified uses Hydraulic Fluid.

Uses advised against Do not use for any purpose other than the one for which it is intended

##### Details of the supplier of the safety data sheet

Supplier Address RILCO, INC.  
1320 1st Street  
Rock Island, IL 61201  
Phone: 309 788 5631

E-mail Address info@rilcoinc.com

##### Emergency telephone number

Company Phone Number

309 788 5631

Emergency telephone

CHEMTREC: +1 800 424 9300 (24h)

#### 2. HAZARDS IDENTIFICATION

##### Classification

Serious eye damage/eye irritation - Category 2A

##### Label elements

SDS # : 083886

## RILCO PTF5

Date of the previous version: not applicable

Revision Date: 2015-05-07

Version 1



### WARNING

Causes serious eye irritation

#### Precautionary Statements - Prevention

Wear eye/face protection

Wash hands thoroughly after handling

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention

#### Unknown Acute Toxicity

Not applicable

#### Hazards not otherwise classified (HNOC)

- None known

#### Other information

- Contaminated surfaces will be extremely slippery
- Should not be released into the environment

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Zinc alkyl dithiophosphate	68649-42-3	1-5

### 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

##### General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

##### Eye contact

Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation persists.

##### Skin contact

Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse. Get medical attention if irritation develops and persists.

SDS # : 083886

## RILCO PTF5

Date of the previous version: not applicable

Revision Date: 2015-05-07

Version 1

<b>Inhalation</b>	Inhalation of high concentrations of vapor or aerosols may cause irritation of the upper respiratory tract. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get medical attention immediately if symptoms occur. If not breathing, give artificial respiration.
<b>Ingestion</b>	If swallowed, do not induce vomiting - seek medical advice. Clean mouth with water. Remove from exposure, lie down. Never give anything by mouth to an unconscious person. Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate medical attention.

### Most important symptoms/effects, acute and delayed

<b>Skin contact</b>	Not classified.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Inhalation</b>	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>Symptoms</b>	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Itching. Redness.

### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician**                      Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

<b><u>Suitable Extinguishing Media</u></b>	Foam. Carbon dioxide (CO <sub>2</sub> ). Dry chemical.
<b><u>Unsuitable Extinguishing Media</u></b>	Do not use a solid water stream as it may scatter and spread fire.
<b><u>Special Hazard</u></b>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
<b><u>Explosion Data</u></b>	
<b>Sensitivity to Mechanical Impact</b>	None.
<b>Sensitivity to Static Discharge</b>	None.
<b><u>Protective Equipment and Precautions for Firefighters</u></b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

SDS # : 083886

## RILCO PTF5

Date of the previous version: not applicable

Revision Date: 2015-05-07

Version 1

### General Information

Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Ensure adequate ventilation. Use personal protective equipment. Evacuate personnel to safe areas. Avoid breathing vapors or mists.

### Other information

See Section 12 for additional information.

### Environmental precautions

### General Information

Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. Try to prevent the material from entering drains or water courses. See Section 12 for additional Ecological Information.

### Methods and materials for containment and cleaning up

### Methods for cleaning up

Dam up. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use mechanical means such as pumps, skimmers and absorbent materials.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

### Advice on safe handling

When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

### Hygiene measures

Regular cleaning of equipment, work area and clothing is recommended. Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Avoid breathing vapors, mist or gas. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

### Conditions for safe storage, including any incompatibilities

### Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture. Keep in properly labeled containers. Keep containers tightly closed in a dry, cool and well-ventilated place.

### Materials to Avoid

Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

SDS # : 083886

## RILCO PTF5

Date of the previous version: not applicable

Revision Date: 2015-05-07

Version 1

### Control parameters

**Exposure limits** Contains no substances with occupational exposure limit values.

### Exposure controls

**Engineering Measures** Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

### Individual protection measures, such as personal protective equipment

**General Information** If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

**Eye/Face Protection** If splashes are likely to occur, wear: Safety glasses with side-shields.

**Skin and body protection** Wear suitable protective clothing. Protective shoes or boots.

**Hand Protection** Protective gloves. Impervious gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** Regular cleaning of equipment, work area and clothing is recommended. Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Avoid breathing vapors, mist or gas. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

Color	brown
Physical State @20°C	liquid
Odor	Petroleum distillates

SDS # : 083886

## RILCO PTF5

Date of the previous version: not applicable

Revision Date: 2015-05-07

Version 1

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
Odor Threshold		No information available	
pH		Not applicable	
Melting point/range		No information available	
Boiling point/boiling range		Not applicable	
Flash point	>= 200 °C >= 392 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC).
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
upper	-	No information available	
Lower	-	No information available	
Vapor Pressure		No information available	
Vapor density		No information available	
Relative density	0.87 - 0.88	@ 15 °C	
Density	870 - 880 kg/m <sup>3</sup>	@ 15 °C	
Water solubility		Not applicable	
Solubility in other solvents		No information available	
logPow		No information available	
Autoignition temperature		No information available	
Decomposition temperature		No information available	
Viscosity, kinematic	> 55 mm <sup>2</sup> /s	@ 40 °C	ASTM D 445
Explosive properties	Not explosive		
Oxidizing Properties	Not applicable		
Possibility of hazardous reactions	Not applicable		
<u>Other information</u>			
Specific Gravity	0.870 - 0.880	@ 15 °C	
Freezing Point		No information available	
Pour point	-33 °C		

### 10. STABILITY AND REACTIVITY

<u>Reactivity</u>	No information available.
<u>Chemical stability</u>	Stable under recommended storage conditions.
<u>Possibility of hazardous reactions</u>	None under normal processing.
<u>Conditions to Avoid</u>	Heat, flames and sparks. Take precautionary measures against static discharges. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Strong oxidizing agents.
<u>Incompatible Materials</u>	Strong oxidizing agents.
<u>Hazardous Decomposition Products</u>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

### 11. TOXICOLOGICAL INFORMATION

SDS # : 083886

## RILCO PTFS

Date of the previous version: not applicable

Revision Date: 2015-05-07

Version 1

### Acute toxicity

#### Information on likely routes of exposure

##### Product Information

<b>Skin contact</b>	Not classified.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Inhalation</b>	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** Not applicable

#### Information on toxicological effects

**Symptoms** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Itching. Redness.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Serious eye damage/eye irritation** Irritating to eyes.  
**Sensitization** Not classified as a sensitizer.  
**Carcinogenicity** This product is not classified carcinogenic.

**Mutagenicity** This product is not classified as mutagenic.  
**Reproductive toxicity** This product does not present any known or suspected reproductive hazards.  
**Aspiration Hazard** Not classified.

## 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Acute aquatic toxicity - Product Information

No experimental data available

##### Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates	Toxicity to microorganisms

SDS # : 083886

## RILCO PTF5

Date of the previous version: not applicable

Revision Date: 2015-05-07

Version 1

Zinc alkyl dithiophosphate 68649-42-3	EC50 (96h) 1 - 5 mg/l (Selenastrum capricornutum - OECD 201)	LC50 (96h) 1-5 mg/L (Pimephales promelas - static - OECD 203) LC50 (96h) 10-35 mg/L (Pimephales promelas - semi-static - OECD 203)	EC50 (48h) 1 - 1.5 mg/L (Daphnia magna - OECD 202)	
--	--	---	--	--

### Chronic aquatic toxicity - Product Information

No experimental data available

### Chronic aquatic toxicity - Component Information

No information available

**Effects on terrestrial organisms** No experimental data available .

### Persistence and degradability

**General Information** No information available.

### Bioaccumulative potential

**Product Information** No information available.

**logPow** No information available

**Component Information** No information available.

### Mobility

**Soil** No information available

### Other adverse effects

**General Information** No information available

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment

**Waste Disposal Methods** Dispose of in accordance with local regulations. Should not be released into the environment.

**Contaminated packaging** Dispose of in accordance with local regulations.



SDS # : 083886

## RILCO PTF5

Date of the previous version: not applicable

Revision Date: 2015-05-07

Version 1

This product contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. TRANSPORT INFORMATION

<u>DOT</u>	Not regulated
<u>TDG</u>	Not regulated
<u>MEX</u>	Not regulated
<u>ICAO/IATA</u>	Not regulated
<u>IMDG/IMO</u>	Not regulated
<u>ADR/RID</u>	Not regulated
<u>ADN</u>	Not regulated

### 15. REGULATORY INFORMATION

**International Inventories** All the substances contained in this product are listed or exempted from listing in the following inventories:  
U.S.A. (TSCA)

#### U.S. Federal Regulations

##### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

##### **SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

##### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

##### **Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

##### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

SDS # : 083886

## RILCO PTF5

Date of the previous version: not applicable

Revision Date: 2015-05-07

Version 1

### U.S. State Regulations

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

No information available

<b>16. OTHER INFORMATION</b>
------------------------------

<u>NFPA</u>	Health Hazard 2	Flammability 1	Instability 0	Physical and chemical hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 1	Physical Hazard 0	Personal protection X

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

**Revision Date:** 2015-05-07  
**Revision Note** No information available  
**Abbreviations, acronyms**

**Legend**

- Section 8
- ACGIH - American Conference of Governmental Industrial Hygienists
- OSHA - Occupational Safety and Health Administration
- NIOSH - National Institute for Occupational Safety and Health
- TLV - Threshold Limit Values
- PEL - Permissible Exposure Limits
- IDHL - Immediately Dangerous to Life or Health concentrations
- TWA - Time Weight Average
- STEL - Short Term Exposure Limits
- S\* - Skin notation
- TSCA - Toxic Substance Control Act

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of the safety data sheet