

1 Identification

- **Product identifier**
- **Trade name:** Remove Tar & Asphalt Cleaner
- **Article number:** RTAC
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
RILCO, INC.
1320 1st Street, Rock Island, IL 61201
Phone: 309 788 5631
- **Information department:** Product Safety Department
- **Emergency telephone number:** (800) 424-9300 Chemtrec

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

H227 Combustible liquid.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05 GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**
NP-9 (4-nonyl phenol 9 mole E.O.)
d-Limonene (Citrus Terpenes)
NP-6 (4-nonylphenol 6 mole ethoxylate)
Distillates (petroleum), hydrotreated light
- **Hazard statements**
Combustible liquid.
Causes skin irritation.

Trade name: Remove Tar & Asphalt Cleaner

(Contd. of page 1)

Causes serious eye damage.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
May be fatal if swallowed and enters airways.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Keep away from flames and hot surfaces. – No smoking.
Wear respiratory protection.
If swallowed: Immediately call a poison center/doctor.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

94266-47-4	d-Limonene (Citrus Terpenes)	10-25%
64742-47-8	Distillates (petroleum), hydrotreated light	10-25%
9016-45-9	NP-9 (4-nonyl phenol 9 mole E.O.)	2.5-10%
111-76-2	2-butoxyethanol	2.5-10%
127087-87-0	NP-6 (4-nonylphenol 6 mole ethoxylate)	2.5-10%

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Trade name: Remove Tar & Asphalt Cleaner

(Contd. of page 2)

- **After eye contact:**
Remove contact lenses if able to do so.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Seek medical treatment.
A person vomiting while lying on their back should be turned onto their side.
Do not induce vomiting; immediately call for medical help.
If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**
Nausea
Allergic reactions
Asthma attacks
Gastric or intestinal disorders
Cramp
Breathing difficulty
- **Danger**
Danger of pulmonary edema.
Large doses may result in red blood cell hemolysis.
Danger of impaired breathing.
- **Indication of any immediate medical attention and special treatment needed**
If swallowed or in case of vomiting, danger of entering the lungs.
Later observation for pneumonia and pulmonary edema.
Treat skin and mucous membrane with antihistamine and corticoid preparations.
Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** Carbon monoxide (CO)
- **Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Keep away from ignition sources
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Trade name: Remove Tar & Asphalt Cleaner

See Section 13 for disposal information.

(Contd. of page 3)

7 Handling and storage

- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Protect from heat.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:**
Do not store together with oxidizing and acidic materials.
Store away from foodstuffs.
- **Further information about storage conditions:** Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

111-76-2 2-butoxyethanol

PEL	Long-term value: 240 mg/m ³ , 50 ppm Skin
REL	Long-term value: 24 mg/m ³ , 5 ppm Skin
TLV	Long-term value: 97 mg/m ³ , 20 ppm BEI

· **Ingredients with biological limit values:**

111-76-2 2-butoxyethanol

BEI	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid with hydrolysis
-----	--

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

Trade name: Remove Tar & Asphalt Cleaner

(Contd. of page 4)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

- Neoprene gloves
- Fluorocarbon rubber (Viton)
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Not suitable are gloves made of the following materials:**

- Strong gloves
- Leather gloves
- Natural rubber, NR

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Solvent resistant protective clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

- Form:** Liquid
- Color:** Clear
- Odor:** Citrus
- Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

- Melting point/Melting range:** Undetermined.
- Boiling point/Boiling range:** Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 210 °C (410 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Not determined.

(Contd. on page 6)

Trade name: Remove Tar & Asphalt Cleaner

(Contd. of page 5)

· Explosion limits:	
Lower:	0.5 Vol %
Upper:	10.6 Vol %
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	0.91 g/cm ³ (7.594 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	50.0 %
Water:	34.0 %
VOC content:	10.0 %
	455.0 g/l / 3.8 lb/gl
Solids content:	16.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions**
Flammable.
Reacts with strong acids and oxidizing agents.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:**
Sensitization possible through inhalation.
Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful

(Contd. on page 7)

Trade name: Remove Tar & Asphalt Cleaner

(Contd. of page 6)

Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

111-76-2	2-butoxyethanol	3
----------	-----------------	---

· **NTP (National Toxicology Program)**

no ingredient above de minimis level is listed

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Toxic for fish

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· **DOT**

· **IMDG, IATA**

Not regulated

UN3082

(Contd. on page 8)

Trade name: Remove Tar & Asphalt Cleaner

(Contd. of page 7)

· **UN proper shipping name**
· **DOT**
· **IMDG**

· **IATA**

Not regulated
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene (Citrus Terpenes), NP-9 (4-nonyl phenol 9 mole E.O.)), MARINE POLLUTANT
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene (Citrus Terpenes), NP-9 (4-nonyl phenol 9 mole E.O.))

· **Transport hazard class(es)**
· **DOT**
· **Class**

Not applicable
-

· **IMDG, IATA**



· **Class**
· **Label**

9 Miscellaneous dangerous substances and articles
9

· **Packing group**
· **DOT**
· **IMDG, IATA**

Not applicable
III

· **Environmental hazards:**
· **Marine pollutant:**
· **Special marking (IATA):**

Product contains environmentally hazardous substances: NP-9 (4-nonyl phenol 9 mole E.O.)
Yes
Symbol (fish and tree)
Symbol (fish and tree)

· **Special precautions for user**
· **Danger code (Kemler):**
· **EMS Number:**

90
F-A,S-F

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **IMDG**
· **Limited quantities (LQ)**
· **Excepted quantities (EQ)**

5L
Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN3082, Environmentally hazardous substances, liquid, n.o.s. (d-Limonene (Citrus Terpenes), NP-9 (4-nonyl phenol 9 mole E.O.)), 9, III

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Remove Tar & Asphalt Cleaner

(Contd. of page 8)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

111-76-2 2-butoxyethanol

· **TSCA (Toxic Substances Control Act):**

64742-47-8 Distillates (petroleum), hydrotreated light

9016-45-9 NP-9 (4-nonyl phenol 9 mole E.O.)

111-76-2 2-butoxyethanol

127087-87-0 NP-6 (4-nonylphenol 6 mole ethoxylate)

7732-18-5 water, distilled, conductivity or of similar purity

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

111-76-2 2-butoxyethanol

NL

· **TLV (Threshold Limit Value established by ACGIH)**

111-76-2 2-butoxyethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

NP-9 (4-nonyl phenol 9 mole E.O.)

d-Limonene (Citrus Terpenes)

NP-6 (4-nonylphenol 6 mole ethoxylate)

Distillates (petroleum), hydrotreated light

· **Hazard statements**

Combustible liquid.

(Contd. on page 10)

Trade name: Remove Tar & Asphalt Cleaner

(Contd. of page 9)

- Causes skin irritation.*
- Causes serious eye damage.*
- May cause allergy or asthma symptoms or breathing difficulties if inhaled.*
- May cause an allergic skin reaction.*
- May be fatal if swallowed and enters airways.*
- **Precautionary statements**
 - If medical advice is needed, have product container or label at hand.*
 - Keep out of reach of children.*
 - Read label before use.*
 - Keep away from flames and hot surfaces. – No smoking.*
 - Wear respiratory protection.*
 - If swallowed: Immediately call a poison center/doctor.*
 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*
 - Continue rinsing.*
 - Store locked up.*
 - Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** *Environment protection department.*
- **Date of preparation / last revision** 06/04/2015 / -
- **Abbreviations and acronyms:**
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*
 - IMDG: International Maritime Code for Dangerous Goods*
 - DOT: US Department of Transportation*
 - IATA: International Air Transport Association*
 - ACGIH: American Conference of Governmental Industrial Hygienists*
 - EINECS: European Inventory of Existing Commercial Chemical Substances*
 - ELINCS: European List of Notified Chemical Substances*
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)*
 - NFPA: National Fire Protection Association (USA)*
 - HMIS: Hazardous Materials Identification System (USA)*
 - VOC: Volatile Organic Compounds (USA, EU)*
 - : Flammable liquids, Hazard Category 4*
 - Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2*
 - Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1*
 - Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1*
 - Skin Sens. 1: Sensitisation - Skin, Hazard Category 1*
 - Asp. Tox. 1: Aspiration hazard, Hazard Category 1*