

Bill of Lading

SHIP FROM		SHIP TO	
PO#: XFR-45211	Date: 05-15-26	PO#: XFR-45211	Date: 05-18-26 (Guaranteed Hubless Transit)
Time: 1100 CDT	Company: Eneos USA Inc	Time: 0800 - 1400 CDT	Company: RILCO Lubricants & Services (Packaging)
Address: 100 Nippon Drive Alabama Lubricants Plant, Childersburg, AL 35044	Contact: Reid Brasher	Address: 400 South 14th Avenue, Eldridge, IA 52748	Contact: Keegan Claus
Telephone: (256) 378-0131		Telephone: (309) 429-7632	
<b>SHIPMENT DETAILS</b> BOL #: 9PV-SWLP Additional Information: PO#Eneos totes ECSTAR R7000 SEMI-SYN ENGINE OIL 10W40 (TT330G) - 5 totes ENOS Full Synthetic 5W-20 SQ GF-7A (TT330G) - 7 totes		<b>BILL TO THIRD PARTY</b> Company: Flock Freight Address: 701 S Coast Hwy 101, Encinitas, CA 92024 Phone: (855) 744-7585 Fax: (760) 338-0338 Email: hl-ops@flockfreight.com	
Name: KINGS EAGLE INC DOT#:1385461 MC#:650801 Carrier Quote Id: POD: Send to documents@flockfreight.com or text to (760) 507-1596 Please call (855) 744-7585 before authorizing any accessoril or additional charges		Carrier shall not interace with shipper or consignee for the payment of freight charges but shall look solely to the bill to third party set forth here in for same. NOTE: Liability Limitation for loss or damage in this shipment may be applicable. See 49 U.S.C. § 14706(c)(1)(A) & (B). Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property as follows: "The agreed or declared value of the property is specifically stated by the shipper to be not exceeding _____ per _____"	

Piece Count	Unit Type	Total Weight	L	W	H	Class	Stackable	Turnable	Hazmat	NMFC	Commodity
12	Pallet	31000	48	42	47	65	No	No	No		ECSTAR R7000 SEMI-SYN ENGINE OIL 10W40 (TT330G)/ENOS Full Synthetic 5W-20 SQ GF-7A (TT330G)

Total linear feet: 24.0

Trailer Loaded by:  Shipper  Driver  
 Freight Counted by:  Shipper  Driver/pallets said to contain  Driver/pieces

This is to certify that the above named materials are properly classified, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the DOT. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

Receiver Signature: [Signature] Date: 5/15/26

RECEIVED, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise established by the carrier and rules that have been shipper, on request, and to the terms and conditions set forth on the reverse side hereon as well as to all applicable state and federal regulations.

Receiver Signature: [Signature] Date: 5/18/26

Carrier acknowledges receipt of packages and required placards. Carrier certifies emergency response information was made available and/or carrier has the DOT emergency response guidebook or equivalent documentation in the vehicle. Property described above is received in apparent good order, except as noted.

Driver Signature: \_\_\_\_\_ Date: \_\_\_\_\_

ADDITIONAL TERMS AND CONDITIONS ARE AVAILABLE UPON REQUEST TO CARRIER



Lubricant Plant - Alabama  
 100 Nippon Drive  
 Childersburg, AL 35044  
 (256) 378-0131

**Ship To:**  
 Rilco Inc. (Eldridge)

400 S. 14th Ave  
 Eldridge, IA 52748  
 United States of America

**Sold To:**  
 ENEOS USA Inc.

Jayson Cobb  
 Alabama Lubricants P.  
 100 Nippon Drive  
 Childersburg, AL 35044  
 United States of America

Ship Date: M  
 Delivery Date:

Order Date	Purchase Order #	Shipment Number
5/14/26	Eneos totes	XFR-45211

Shipper Item Number	Description	Quantity
10138-13	ECSTAR R7000 SEMI-SYN ENGINE OIL 10W40 (TT330G)	5
10271-13	ENEOS Full Synthetic 5W-20 SQ GF-7A (TT330G)	7

OK  
 5/18/25

Special Notes	Total Pallets	12
Total Quantity of Goods		12

**Thank you for your business!**  
 For any questions or concerns please contact:  
 Eneos USA, Inc.  
 Customer Care Group Team  
 20 N. Martingale Rd. Schaumburg, IL 60173  
 Phone:(847) 413-2188

# CERTIFICATE OF ANALYSIS



**Product Name** ENEOS Full Synthetic SW20 SQ GF-7A

**Lot Number** NL26E001

**Date of Manufacture** 5/1/2026

TEST ITEM	METHOD	SPECIFICATION MIN MAX	RESULTS	UNITS
Appearance	Visual	C & B	C & B	--
Density 15°C	ASTM D4052	Report	0.8464	g/cm3
Kinematic Viscosity, 40°C	ASTM D445	Report	48.07	mm2/s
Kinematic Viscosity, 100°C	ASTM D445	7.949 < 9.300	8.834	mm2/s
Viscosity Index	ASTM D2270	Report	166	--
CCS Viscosity, -30°C	ASTM D5293	--	3,727	mPa.s
Pour Point	ASTM D5950	--	-45	°C
Foaming Tendency Seq. II	ASTM D892 IP 146	--	20	ml
Foaming Stability Seq. II	ASTM D892 IP 146	--	0	ml
Elemental Analysis - Ca	ASTM D4951	0.130	0.157	mass%
Elemental Analysis - P	ASTM D4951	0.0674	0.0722	mass%
Elemental Analysis - Zn	ASTM D4951	0.0779	0.0959	mass%
*1 TBN (HClO4)	ASTM D2896	Report	9.28	mgKOH/g
*2 MRV Viscosity, -35°C	ASTM D4684 (A)	--	10,266	mPa.s
*2 MRV Yield Stress	ASTM D4684 (A)	--	40,000	Y ≤ 35

**Notes**

- \*1 This property is measured at 3 month intervals, and the most recent measured value is shown here.
- \*2 This property is measured at 6 month intervals, and the most recent measured value is shown here.

**ENEO USA Inc.**

20 N. Martingale Rd, Suite 325, Schaumburg, IL 60173

*Joy Rogers*

Joy Rogers, General Manager Quality Control

# CERTIFICATE OF ANALYSIS



Product Name **Suzuki Ecstar Semi Synthetic 10W40 MA SJ**

Lot Number **NL25E002**

Date of Manufacture **5/1/2026**

TEST ITEM	METHOD	SPECIFICATION MIN MAX	RESULTS	UNITS
Color (ASTM)	ASTM D1500	--	12.0	--
Density 15°C	ASTM D4052	Report	0.8633	g/cm3
Flash Point (COC)	ASTM D92	200	240	°C
Kinematic Viscosity, 40°C	ASTM D445	Report	97.4	cSt
Kinematic Viscosity, 100°C	ASTM D445	12.5	14.70	cSt
Viscosity Index	ASTM D2270	Report	157	--
CCS Viscosity, -25°C	ASTM D5293	--	5071	mPa.s
TAN	ASTM D664	Report	2.23	mgKOH/g
TBN (HClO4)	ASTM D2896	5.0	6.36	mgKOH/g
Pour Point	ASTM D5950	--	-42	°C
Foaming Tendency Seq. II	ASTM D892 IP 146	50	0	ml
Foaming Stability Seq. II	ASTM D892 IP 146	0	0	ml
Elemental Analysis - Ca	ASTM D4951	Report	0.211	mass%
Elemental Analysis - P	ASTM D4951	0.080	0.105	mass%
Elemental Analysis - S	ASTM D4951	Report	0.286	mass%
Elemental Analysis - Zn	ASTM D4951	Report	0.111	mass%
Elemental Analysis - B	ASTM D4951	Report	0.001	mass%
Elemental Analysis - Ba	ASTM D4951	Report	0.001	mass%
Elemental Analysis - Mg	ASTM D4951	Report	<0.001	mass%
Elemental Analysis - Mo	ASTM D4951	Report	0.001	mass%
Elemental Analysis - N	ASTM D4629	Report	0.072	mass%
Elemental Analysis - Sulfated Ash	Calculation	1.2	0.95	mass%
*1 TBS Viscosity, 150°C	ASTM D4683	3.5	4.0	mpa . s

\*1 This property is measured at 6 month intervals, and the most recent measured value is shown here.

**ENEOS USA Inc.**  
[Eneons]

20 N. Martingale Rd, Suite 325, Schaumburg, IL 60173

Joy Rogers, General Manager Quality Control